

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

- 1 This problem can be solved in many ways, the list is small so there is no need for any special data structure or algorithm.

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

- 1 This problem can be solved in many ways, the list is small so there is no need for any special data structure or algorithm.
- 2 But for this problem, the most efficient solution is also the simplest:

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

- 1 This problem can be solved in many ways, the list is small so there is no need for any special data structure or algorithm.
- 2 But for this problem, the most efficient solution is also the simplest:
- 3 Let the first list of numbers be x_1, x_2, \dots, x_n and the second list be $y_1, y_2 \dots y_{n-1}$.

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

- 1 This problem can be solved in many ways, the list is small so there is no need for any special data structure or algorithm.
- 2 But for this problem, the most efficient solution is also the simplest:
- 3 Let the first list of numbers be x_1, x_2, \dots, x_n and the second list be $y_1, y_2 \dots y_{n-1}$.
- 4 The answer is then

$$\sum_{k=1}^n x_k - \sum_{k=1}^{n-1} y_k.$$

Problem

You are given a list of numbers and then another list of the same numbers, except one number has been removed. What number was removed?

Solution

- 1 This problem can be solved in many ways, the list is small so there is no need for any special data structure or algorithm.
- 2 But for this problem, the most efficient solution is also the simplest:
- 3 Let the first list of numbers be x_1, x_2, \dots, x_n and the second list be y_1, y_2, \dots, y_{n-1} .
- 4 The answer is then

$$\sum_{k=1}^n x_k - \sum_{k=1}^{n-1} y_k.$$

Statistics at 4-hour mark: 248 submissions, 196 accepted, first after 00:01