

Problem H. How to Combine GCD and LCM

Input file: *standard input*
Output file: *standard output*
Time limit: 2 seconds
Memory limit: 512 mebibytes

You are given a sequence of positive integers, followed by a number of instructions specifying updates to be made and queries to be answered on the sequence. Updates and queries are given in an arbitrary order.

Each of the updates replaces a single item in the sequence with a given value. Updates are accumulated: all the following instructions are on the sequence after the specified replacement.

Each of the queries specifies a subsequence of the (possibly updated) sequence and the number of items to exclude from that subsequence. One or more sets of integers will result depending on which of the items are excluded. Each of such sets has the greatest common divisor (GCD) of its members. The answer to the query is the least common multiple (LCM) of the GCDs of all these sets.

Input

The first line has two integers, n and m . n ($1 \leq n \leq 10^5$) is the length of the integer sequence, and m ($1 \leq m \leq 10^5$) is the number of instructions. The original integer sequence a_1, \dots, a_n is given in the second line. $1 \leq a_i \leq 10^6$ holds for $i = 1, \dots, n$. Each of the following m lines has either an update instruction starting with a letter 'U', or a query instruction starting with a letter 'Q'.

An update instruction has the following format: U j x . The instruction tells to replace the j -th item of the sequence with an integer x . $1 \leq j \leq n$ and $1 \leq x \leq 10^6$ hold. Updates are accumulated: all the instructions below are on the sequence after the updates.

A query instruction has the following format: Q l r k . Here, l and r specify the start and the end positions of a subsequence, and k is the number of items to exclude from that subsequence, b_l, \dots, b_r , where b_1, \dots, b_n is the sequence after applying all the updates that come before the query. ($1 \leq l$, $0 \leq k \leq 2$, and $l + k \leq r \leq n$ hold).

Output

No output is required for update instructions. For each of the query instructions, output a line with the LCM of the GCDs of the sets of the items in all the subsequences made by excluding k items from the sequence b_l, \dots, b_r .

Examples

standard input	standard output
5 10	4
12 10 16 28 15	4
Q 1 3 1	10
Q 3 4 0	20
Q 2 2 0	6
Q 2 5 2	14
U 3 21	21
Q 1 3 1	28
Q 2 4 1	210
Q 3 5 1	
Q 4 4 0	
Q 2 5 2	