

Problem I

Pizza Party!

You are co-organizing a computer science conference, and you are in charge of a pizza party for the conference guests. Each guest holds preferences over combinations of toppings, and guests are seated in groups by table in the conference center ballroom. One pizza is served to each table. You must make sense of each table's collective preferences by finding pizza toppings that make all guests happy at a particular table. Since you are paying by the topping, the conference organizers wish to find the *minimal* set of satisfying toppings for each table's pizza.

Pizza preferences are specified as statements in either an *absolute* or *implicative* form. An *absolute preference* for pepperoni is a statement that pepperoni must be on the pizza in order to satisfy a particular guest. An *implicative preference* is a conditional statement. For example, the preference if pepperoni and sausage then mushroom indicates that a pizza with both pepperoni and sausage must also have mushrooms. Note that the implicative preference says nothing about a preference for mushrooms when either pepperoni or sausage are absent from the pizza.

Guests are already organized by table and each table's preferences are aggregated. It is your job to find a topping assignment for the pizza at each table.



Photo by Bob Chao

Input

The first line of input consists of a single integer c ($1 \leq c \leq 1000$), the number of preferences for the pizza you are trying to create. This is followed by c lines containing either an *absolute* or *implicative* preference.

The name of each topping is a single word, not exceeding 10 characters in length, consisting of only lowercase English letters. The words if, and, or, and then are not valid names for pizza toppings.

Absolute preferences consist of a single topping name. All *implicative preferences* are either of the form if t_1 and t_2 and ... and t_k then t_{k+1} , or if t_1 or t_2 or ... or t_k then t_{k+1} , where each of $t_1, t_2, \dots, t_{k+1}$ are topping names and $1 \leq k \leq 500$.

Output

For the provided test case, print one line with a single integer t — the minimal number of toppings for a pizza that satisfies all guests at the table.



The 2021 ICPC North America Qualifier

Sample Input 1

```
4
peppers
if spinach and olives then tomatoes
spinach
feta
```

Sample Output 1

```
3
```

Sample Input 2

```
5
pepperoni
pineapple
if pepperoni and sausage then mushroom
ham
if pineapple and ham then bacon
```

Sample Output 2

```
4
```

Sample Input 3

```
4
pepperoni
sausage
if pepperoni and sausage then mushrooms
if mushrooms or peppers then cheese
```

Sample Output 3

```
4
```