

Problem E. Game Theory

Input file: *standard input*
Output file: *standard output*
Time limit: 1 second
Memory limit: 512 mebibytes

For a string $s_1 \dots s_n$ of n bits (i.e., zeros and ones), Bobo computes the f -value of $s_1 \dots s_n$ by playing the following game.

- If all the bits are zero, the game ends.
- If there are k ones in the bit string, Bobo flips the k -th bit, i.e., s_k .
- The f -value of the bit string is the number of flips Bobo has performed before the game ends.

Formally,

- If $s_1 = \dots = s_n = 0$, $f(s_1 \dots s_n) = 0$.
- Otherwise, assuming that $k = s_1 + \dots + s_n$, $f(s_1 \dots s_n) = f(s_1 \dots s_{k-1} \overline{s_k} s_{k+1} \dots s_n) + 1$ where \overline{c} denotes the flip of the bit c such as $\overline{0} = 1$ and $\overline{1} = 0$.

Now, Bobo has a bit string $s_1 \dots s_n$ subjecting to q changes, where the i -th change is to flip all the bits among $s_{l_i} \dots s_{r_i}$ for given l_i, r_i . Find the f -value modulo 998244353 of the bit string after each change.

Input

The input consists of several test cases terminated by end-of-file. For each test case,

The first line contains two integers n and q .

The second line contains n bits $s_1 \dots s_n$.

For the following q lines, the i -th line contains two integers l_i and r_i .

- $1 \leq n \leq 2 \times 10^5$
- $1 \leq q \leq 2 \times 10^5$
- $s_i \in \{0, 1\}$ for each $1 \leq i \leq n$
- $1 \leq l_i \leq r_i \leq n$ for each $1 \leq i \leq q$
- In each input, the sum of n does not exceed 2×10^5 . The sum of q does not exceed 2×10^5 .

Output

For each change, output an integer which denotes the f -value modulo 998244353.

Examples

standard input	standard output
3 2	1
010	3
1 2	5
2 3	
5 1	
00000	
1 5	

Note

For the first test case, the string becomes “100” after the first change. $f(100) = f(000) + 1 = 1$. And it becomes “111” after the second change. $f(111) = f(110) + 1 = f(100) + 2 = f(000) + 3 = 3$.