

Problem F. Graph Theory

Input file: *standard input*
Output file: *standard output*
Time limit: 1 second
Memory limit: 512 mebibytes

Bobo has an undirected graph G with n vertices labeled by $1, \dots, n$ and n edges. For each $1 \leq i \leq n$, there is an edge between the vertex i and the vertex $(i \bmod n) + 1$. He also has a list of m pairs $(a_1, b_1), \dots, (a_m, b_m)$.

Now, Bobo is going to choose an i and remove the edge between the vertex i and the vertex $(i \bmod n) + 1$. Let $\delta_i(u, v)$ be the number of edges on the shortest path between the u -th and the v -th vertex **after the removal**. Choose an i to minimize the maximum among $\delta_i(a_1, b_1), \dots, \delta_i(a_m, b_m)$.

Formally, find the value of

$$\min_{1 \leq i \leq n} \left\{ \max_{1 \leq j \leq m} \delta_i(a_j, b_j) \right\}.$$

Input

The input consists of several test cases terminated by end-of-file. For each test case,

The first line contains two integers n and m .

For the following m lines, the i -th line contains two integers a_i and b_i .

- $2 \leq n \leq 2 \times 10^5$
- $1 \leq m \leq 2 \times 10^5$
- $1 \leq a_i, b_i \leq n$ for each $1 \leq i \leq m$
- In each input, the sum of n does not exceed 2×10^5 . The sum of m does not exceed 2×10^5 .

Output

For each test case, output an integer which denotes the minimum value.

Examples

standard input	standard output
3 2	1
1 2	0
2 3	2
3 2	
1 1	
2 2	
3 3	
1 2	
2 3	
3 1	

Note

For the first case,

i	$\delta_i(1, 2)$	$\delta_i(2, 3)$
1	2	1
2	1	2
3	1	1

Choosing $i = 3$ yields the minimum value 1.