Tree Number Generator Problem ID: treegenerator

One day Young Anna comes up with a whimsical idea of using a tree to create a number generator. The generator is created with a modulus m and an internal tree of n nodes numbered from 1 to n. Each tree node is assigned a single digit between 0 to 9. The generator provides a method Get(a, b) that can be used to produce an integer in [0, m). The two arguments a and b specify two tree nodes. The generator walks the path from a to b in the tree, concatenates all the digits along the path (including the digits of node a and b), and obtains a decimal integer v as a result of such digit concatenation. Note that v can be quite large and may contain leading zeroes. The return value of Get(a, b) is v modulo m.



Image by Rajesh Mis

Given a tree and the value of m to be used by Anna's number generator, calculate the return values of q queries Get(a, b).

Input

The first line of input has three integers $n \ (2 \le n \le 2 \cdot 10^5)$, $m \ (1 \le m \le 10^9)$, and $q \ (1 \le q \le 2 \cdot 10^5)$. The next n-1 lines describe the tree edges. Each line has two integers $x, y \ (1 \le x, y \le n)$ listing an edge connecting node x and node y. It is guaranteed that those edges form a tree.

The next n lines each have a single digit between 0 to 9. The *i*th digit is assigned to node *i*. The next q lines each have two integers a, b ($1 \le a, b \le n$) specifying a query Get(a, b).

Output

For each Get(a, b) query output its return value on a single line.

Sample Input 1	Sample Output 1
5 100 4	34
1 2	31
1 3	12
1 4	3
5 3	
1	
2	
3	
0	
4	
1 5	
5 1	
4 2	
3 3	