


Problem D

Ghost Leg

Time Limit: 1 Second(s)

A *Ghost Leg* is a method for representing permutations.

A Ghost Leg can be represented as a set of vertical lines, each line corresponding to one element of the set being permuted. Horizontal lines (like the rungs of a ladder) connect adjacent vertical lines in such a way that no two rungs share an endpoint. An example is shown in the illustration to the right.



To determine the resulting position of any element under a Ghost Leg permutation, begin at the top of the vertical line corresponding to that element. Trace a path down the line until encountering the first rung touching that line. Follow that rung to the adjacent vertical line. It does not matter whether the rung goes to the left or to the right, just follow it. Continue downward, following rungs, until reaching the bottom. This gives the final position of that element under the permutation.

In the example, element 2 ends up third in the permutation. The path is shown with red dotted lines. Likewise, element 1 ends up fourth, element 3 ends up first, and element 4 ends up second.

Given a description of a Ghost Leg, determine the result of the permutation. In other words, apply the specified permutation, and output the elements in their permuted order.

Input

The first line of input contains two positive integers n ($1 \leq n \leq 100$) and m ($0 \leq m \leq 1,000$), where n is the number of elements being permuted, and m is the number of rungs. The vertical lines (elements) are identified from left to right by the integers 1 through n .

Each of the next m lines contains a single integer a ($1 \leq a < n$), which indicates that there is a rung between vertical lines a and $a + 1$. The rungs are listed in order from top to bottom of the Ghost Leg. Clearly, no two rungs can be at the same height.

Output

Output n lines, where each line contains a single integer. This is the resulting permutation. The first line is the element that ends up first in the permutation, the second is the element that ends up second, and so on.

North America Qualifier

Sample Input 1

4 5
 1
 2
 1
 3
 2

Sample Output 1

3
 4
 2
 1

Sample Input 2

7 6
 6
 4
 2
 1
 3
 5

Sample Output 2

3
 1
 5
 2
 7
 4
 6