
Problem A. Delivery Route

Input file: **standard input**
Output file: **standard output**
Time limit: 1 second
Memory limit: 512 megabytes

Pony is the boss of a courier company. The company needs to deliver packages to n offices numbered from 1 to n . Especially, the s -th office is the transfer station of the courier company.

There are x ordinary two-way roads and y one-way roads between these offices. The delivery vans will consume c_i power if they pass through the i -th road. In general, the power consumption on one road must be non-negative. However, thanks to the experimental charging rail, the consumption may be negative on some one-way roads.

Besides, Pony got the following public information. The relevant department promised that if there is a one-way street from a_i to b_i , it is impossible to return from b_i to a_i .

To avoid the delivery vans anchoring on the road, Xiaodao wants to find these lowest power consumptions from the transfer station to these offices.

Input

The first line contains four integers n ($1 \leq n \leq 25000$), x, y ($1 \leq x, y \leq 50000$), and s ($1 \leq s \leq n$). This is followed by $x + y$ lines, each line of which contains three integer a_i, b_i ($1 \leq a_i, b_i \leq n, a_i \neq b_i$) and c_i ($-10000 \leq c_i \leq 10000$) describing the roads. The first x given roads are ordinary two-way roads, and the last y given roads are one-way roads.

Output

The output should contain n lines, the i -th line represents the minimum energy consumption from s -th to the i -th office if possible, or output "NO PATH" if it is impossible to reach the i -th office.

Example

| standard input | standard output |
|----------------|-----------------|
| 6 3 3 4 | NO PATH |
| 1 2 5 | NO PATH |
| 3 4 5 | 5 |
| 5 6 10 | 0 |
| 3 5 -100 | -95 |
| 4 6 -100 | -100 |
| 1 3 -10 | |