

Problem I. Infection Estimation

Input file: *standard input*
Output file: *standard output*
Time limit: 2 seconds
Memory limit: 512 mebibytes

A new virus has appeared in country X, with a population of 10 million people. This time the country is prepared, and wants to start tracking its spread as quickly as possible. It is currently only known that at least 100 and at most 5 000 000 people are infected, and your job is to provide a more accurate estimate on the number of infected people.

While it will take some time until tests get into mass production, one of the research labs is able to perform up to 50 tests per day. To improve test efficiency, the researchers have decided to combine tests from multiple people. Each test takes in tissue samples from any chosen number of people, and gets a positive result if there is virus in at least one of them, otherwise a negative result. The tests are performed sequentially – the result of each test becomes available before the next test can be performed.

Write a program which decides how to perform the tests and provides an estimate of the number of infected people which is within a factor 2 of the actual number of infected people.

Interaction Protocol

Your program can run up to 50 tests, and must then produce an estimate of the number of infected people. To issue a test, output “**test** *k*” for an integer $1 \leq k \leq 10^7$. The judge will then provide a line which contains either “1” if the test for *k* randomly chosen people came back positive, or “0” if it came back negative. The *k* people will be chosen without replacement, i.e., the same person cannot be chosen twice. However, the tests are independent, so a person may end up being chosen in more than one round.

To provide the estimate, output “**estimate** *x*”, where $0 \leq x \leq 10^7$ is your estimate on the number of infected people. The answer will be treated as correct if it is within a factor 2 of the correct answer *y*, i.e., if $y/2 \leq x \leq 2y$.

There will be a total of 100 runs of your program. You may assume that each run is deterministic: making the same sequence of tests on the *i*th run will always result in the same sequence of test results.

Remember to flush your standard output buffer for every line you output!

(Note: the sample interaction below is shown only for the purpose of illustrating the interaction protocol: there is no way the solution could reliably conclude the given estimate of 250 000 infected people based on the four tests performed.)

Examples

standard input	standard output
test 20	
	1
test 20	
	0
test 23	
	0
test 22	
	1
estimate 250000	